




ATK06**



ATK06


LOCKING DEVICE FOR ROLLING AND TILTING DOORS AND SIMILARS

Compact locking device of removable type. Its unique design makes it very safe for both: Rolling and tilting doors. It has a removable bolt, and the rotary latch placed inside it is driven by a high security cylinder. The locking bracket that is fixed on the door is made in steel with an anti-corrosive treatment, the extractible bolt is made in of steel with a highly anti-corrosive treatment and the rotary locking latch in high resistance steel, hardened and with zinc and cromated plating. . All the other elements have been made of either stainless steel or with anti-corrosive treatments.


Versions

APK06; Also available with flat-key of points-cylinder

See the data sheets, with installation dimensions.



Denominación		Cantidad	Código Pieza/Plano	MECSYD, Ltd. STARK SyS, Security Systems
DIMENSIONES DE INSTALACION ATK/APK06 (Tubo Largo)		1	INSTAL06L/01	
Material	Escala	1 - 2	Peso Neto 2,08330 kg.	Tolerancias sin Especificar Individualmente
Dimensiones en Bruto	Trat. Termico		De Longitud ± 0,10 m/m	
Peso en Bruto	Recubrimiento		De Ø ± 0,05 m/m	Angulos ± 0°30'
Conjunto	ATK/APK06	Fecha Primer Diseño	02-01-1.995	Fecha Ultima Modificación 23-09-2.011



Denominación		Cantidad	Código Pieza/Plano		MECSYD, Ltd. STARK SyS, Security Systems
DIMENSIONES DE INSTALACION ATK/APK06 (Tubo Corto)		1	INSTAL06C/01		
Material	Escala	1 - 2	Peso Neto	1,98830 kg.	Tolerancias sin Especificar Individualmente
Dimensiones en Bruto	Trat. Termico			De Longitud	± 0,10 m/m
Peso en Bruto	Recubrimiento			De Ø	± 0,05 m/m
Conjunto	ATK/APK06	Fecha Primer Diseño	02-01-1.995	Fecha Ultima Modificación	23-09-2.011